

Appendix A: DCPS Facility Data and Utilization Plans



Program #	School Name	School Address	SY2014-15 Audited Enrollment	SY2015-16 Permanent Capacity	SY2015-16 Portable Capacity	Total Capacity (Permanent + Portable)	SY2014-15 Utilization (Includes Portable Capacity)	Plan to Address High/Low Utilization
202	Aiton ES	533 48th Pl NE	263	442	0	442	60%	
203	Amidon-Bowen ES	401 Eye St SW	347	400	0	400	87%	
450	Anacostia HS	1601 16th St SE	680	837	0	837	81%	
452/462	Ballou HS (includes STAY Program)	3401 4th St SE	1345	1520	0	1520	88%	
204	Bancroft ES	1755 Newton St NW	508	563	0	563	90%	
402	Benjamin Banneker HS	800 Euclid St NW	449	620	0	620	72%	
205	Barnard ES	430 Decatur St NW	602	486	176	662	91%	
206	Beers ES	3600 Alabama Ave SE	438	430	0	430	102%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. The boundary change is expected to right size the enrollment with the capacity at this school, but the full impacts of the changes may not be felt for a few years.
212	Brent ES	301 North Carolina Ave SE	371	369	0	369	101%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
213	Brightwood EC	1300 Nicholson St NW	645	584	132	716	90%	
346	Brookland EC @ Bunker Hill	1401 Michigan Ave NE	225	480	0	480	47%	DCPS is adding an additional PK classroom for SY15-16, which is expected to increase enrollment as students progress through the grades. DCPS is also exploring academic program offerings to increase enrollment at the school.
404	Browne EC	850 26th St NE	353	804	0	804	44%	Browne is a school that typically increases their enrollment after the October enrollment reporting date, in part due to the influx of homeless students. DCPS feels it is important that the school is able to accommodate these students. DCPS will consider options for partners to potentially utilize a portion of the building and will explore different academic program offerings to increase enrollment.
296	Bruce-Monroe ES @ Park View	3560 Warder St NW	467	609	0	609	77%	
220	Burroughs EC	1820 Monroe St NE	297	450	0	450	66%	
221	Burrville ES	801 Division Ave NE	360	400	0	400	90%	
454	Cardozo EC	1200 Clifton St. NW	785	1070	0	1070	73%	
224	Cleveland ES	1825 8th St NW	309	320	0	320	97%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
442	Columbia Heights EC (CHEC)	3101 16th St NW	1385	1400	0	1400	99%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. The high school portion of CHEC is a school of choice that can control their enrollment through acceptance rates.

Appendix A: DCPS Facility Data and Utilization Plans



Program #	School Name	School Address	SY2014-15 Audited Enrollment	SY2015-16 Permanent Capacity	SY2015-16 Portable Capacity	Total Capacity (Permanent + Portable)	SY2014-15 Utilization (Includes Portable Capacity)	Plan to Address High/Low Utilization
227	H.D. Cooke ES	2525 17th St NW	402	440	0	440	91%	
455	Coolidge HS	6315 5th St NW	395	1105	0	1105	36%	DCPS is currently developing compelling academic offerings at the school, which may include Mass Media and other CTE pathways to increase interest in the school.
405	Deal MS	3815 Fort Dr NW	1313	1370	200	1570	84%	Portable classrooms will remain on site.
231	Drew ES	5600 Eads St NE	201	362	0	362	56%	
467	Dunbar HS	101 N St. NW	653	1100	0	1100	59%	
457	Eastern HS	1700 East Capitol St NE	1027	1100	0	1100	93%	
232	Eaton ES	3301 Lowell St NW	475	415	0	415	114%	DCPS will monitor out of boundary enrollment at the school to ensure a satisfactory learning environment is provided for students. DCPS will also evaluate enrollment patterns over the next few years to measure the impact of recent boundary changes.
232	Eliot-Hine MS	1830 Constitution Ave NE	257	742	0	742	35%	DCPS anticipates that demand for Middle School seats at Eliot-Hine will increase as excitement about the programming at Eastern High School continues to grow because Eliot-Hine feeds into Eastern. Eastern High School is graduating their first class of students at the end of SY14-15. DCPS will also monitor how upcoming boundary changes will impact enrollment at Eliot-Hine.
471	Ellington School of the Arts	2501 11th St NW	523	NA	NA	NA	NA	
409	SWW @ Francis-Stevens	2425 N St NW	415	437	0	437	95%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
238	Garfield ES	2435 Alabama Ave SE	284	365	0	365	78%	
239	Garrison ES	1200 S St NW	245	356	0	356	69%	
175	School-Within-School @ Goding	920 F STREET NE	248	450	0	450	55%	
308	Malcolm X ES @ Green	1500 Mississippi Ave. SE Washington	244	248	0	248	98%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
246	Hardy MS	1819 35th St NW	386	485	0	485	80%	
247	C.W. Harris ES	301 53rd St SE	291	438	0	438	66%	
413	Hart MS	601 Mississippi Ave SE	480	912	0	912	53%	
258	Hearst ES*	3950 37th St NW	292	330	0	330	88%	The capacity of the building will be 330 in the Winter of 2015.
249	Hendley ES	425 Chesapeake St SE	504	520	0	520	97%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
251	Houston ES	1100 50th Pl NE	279	398	0	398	70%	
252	Hyde-Addison ES	3219 O St NW	306	330	0	330	93%	
254	Janney ES	4130 Albemarle St NW	695	700	0	700	99%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
433	Jefferson MS	801 7th St SW	278	570	0	570	49%	DCPS expects that the enrollment will increase at Jefferson with the opening of Van Ness, which will be a new feeder school to Jefferson MS. DCPS currently leases space on the property to Apple Tree for demountable classroom use.
416	Johnson, John Hayden MS	1400 Bruce Pl SE	292	730	0	730	40%	DCPS is committed to putting unique alternative programming at the school to increase interest in the program. The idea of closing the program was discussed in the past but safety concerns were raised about students crossing busy streets, which still exist.
421	Kelly Miller MS	301 49th St NE	549	600	120	720	76%	
257	Ketcham ES	1919 15th St SE	309	325	0	325	95%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
272	Key ES	5001 Dana Pl NW	383	364	44	408	94%	

Appendix A: DCPS Facility Data and Utilization Plans

2014 MFP Annual Supplement



Program #	School Name	School Address	SY2014-15 Audited Enrollment	SY2015-16 Permanent Capacity	SY2015-16 Portable Capacity	Total Capacity (Permanent + Portable)	SY2014-15 Utilization (Includes Portable Capacity)	Plan to Address High/Low Utilization
259	Kimball ES	3375 Minnesota Ave SE	348	398	0	398	87%	
344	King, M.L. ES	3200 6th St SE	372	444	0	444	84%	
417	Kramer MS	1700 Q St SE	337	600	0	600	56%	
261	Lafayette ES	5701 Broad Branch Rd NW	697	516	220	736	95%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. The anticipated post-construction capacity will also address high enrollment.
262	Langdon EC	1900 Everts St NE	342	500	0	500	68%	
370	Langley ES	101 T Street NE	289	530	0	530	55%	
264	LaSalle-Backus EC	501 Riggs Road NE	350	400	0	400	88%	
266	Leckie ES	4201 M L King Ave SW	478	480	0	480	100%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
360	Capitol Hill Montessori School @ Logan	215 G Street NE	311	360	0	360	86%	
271	Ludlow-Taylor ES	659 G St NE	340	362	0	362	94%	
884	Luke Moore Alternative HS	1001 Monroe St NE	350	350	0	350	100%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. This is a school of choice that can control their enrollment through acceptance rates.
273	Mann ES	4430 Newark St NW	302	370		370	82%	
274	Maury ES	1250 Constitution Ave NE	367	300	88	388	95%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
435/458	McKinley (MS & HS)	151 T St NE	850	1160	0	1160	73%	
280	Miner ES	601 15th St NE	398	550	0	550	72%	
285	Moten ES	1565 Morris Rd SE	398	480	0	480	83%	
287	Murch ES	4810 36th St NW	620	488	286	774	80%	
288	Nalle ES	219 50th St SE	384	400	0	400	96%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
290	Noyes EC	2725 10th St NE	290	391	0	391	74%	
291	Orr ES	2200 Minnesota Ave SE	384	392	0	392	98%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. The anticipated post-construction capacity will also address high enrollment.
201	Oyster-Adams Bilingual (Adams)	2020 19th St. NW	314	324	0	324	97%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
292	Oyster-Adams Bilingual (Oyster)	2801 Calvert St NW	336	350	0	350	96%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
294	Patterson ES	4399 South Capitol Terr SW	383	382	0	382	100%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
295	Payne ES	1445 C St SE	277	348	0	348	80%	
301	Peabody	425 C St NE	227	228	0	228	100%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
478	Phelps ACE HS	704 26th Street NE	323	512	0	512	63%	
299	Plummer ES	4601 Texas Ave SE	429	448	0	448	96%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
300	Powell ES	1350 Upshur St NW	447	304	132	436	103%	The building is currently under construction and the updated capacity will address the high enrollment.
316	Randle Highlands ES	1650 30th St SE	362	450	0	450	80%	
302	Raymond EC	915 Spring Rd NW	581	615	0	615	94%	
284	Marie Reed ES	2201 18th St. NW	393	470	0	470	84%	
459/456	Roosevelt HS (includes STAY Program)	4301 13th St NW	1284	1030	0	1030	125%	The reported enrollment includes both the Roosevelt HS and Roosevelt Stay enrollments. The large majority of the Stay students attend the school in the evening, so not all 1283 students are in the building at the same time.
305	Ross ES	1730 R St NW	166	176	0	176	94%	
307	Savoy ES	2400 Shannon Pl SE	408	430	0	430	95%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.

Appendix A: DCPS Facility Data and Utilization Plans



Program #	School Name	School Address	SY2014-15 Audited Enrollment	SY2015-16 Permanent Capacity	SY2015-16 Portable Capacity	Total Capacity (Permanent + Portable)	SY2014-15 Utilization (Includes Portable Capacity)	Plan to Address High/Low Utilization
466	School Without Walls HS	2130 G St NW	590	520	0	520	113%	This is a School of Choice that can control their enrollment through acceptance rates. DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
309	Seaton ES	1503 10th St NW	295	325	0	325	91%	
312/265	Sharpe Health & Mamie D. Lee	420 34th St NW	116	120	0	120	97%	The new building will address utilization concerns and is designed to accommodate students from both programs.
313	Shepherd ES	7800 14th St NW	318	400	0	400	80%	
315	Simon ES	401 Mississippi Ave SE	293	325	0	325	90%	
322	Smothers ES	4400 Brooks St NE	275	344	0	344	80%	
427	Sousa MS	3650 Ely Pl SE	284	636	0	636	45%	During the modernization of the building, reducing the size of the building was considered. However, because of the historical significance of the building, structural changes were not made. DCPS will consider options for partners to potentially utilize a portion of the building and will explore different academic program offerings to increase enrollment.
319	Stanton ES	2701 Naylor Rd SE	578	586	0	586	99%	The building is currently under construction and the updated capacity will address the high enrollment.
321	Stoddert ES	4001 Calvert St NW	418	320	154	474	88%	
428	Stuart-Hobson	410 E St NE	423	450	0	450	94%	
324	Takoma EC	7010 Piney Branch Rd NW	443	450	0	450	98%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
325	Thomas ES	650 Anacostia Ave NE	408	474	0	474	86%	
326	Thomson ES	1200 L St NW	272	320	0	320	85%	
327	Truesdell EC	800 Ingraham St NW	526	542	0	542	97%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students. Because of recent enrollment trends, DCPS anticipates putting demountable classrooms on the site to address the anticipated high enrollment.
328	Tubman ES	3101 13th St NW	502	500	0	500	100%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
329	Turner ES	3264 Stanton Rd SE	395	530	0	530	75%	
330	Tyler ES	1001 G St SE	523	564	0	564	93%	
332	Walker-Jones EC	1125 New Jersey Ave NW	472	700	0	700	67%	
333	Watkins	420 12th St SE	500	587	0	587	85%	
336	West EC	1338 Farragut St NW	267	278	0	278	96%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
335	Wheatley EC	1299 Neal St NE	463	500	0	500	93%	
338	Whittier EC	6201 5th St NW	352	520	0	520	68%	
339	J.O. Wilson ES	660 K Street NE	466	480	0	480	97%	DCPS will monitor enrollment to ensure a satisfactory learning environment is provided for students.
474	Washington Metro	300 Bryant Street NW	244	350	0	350	70%	
463	Wilson HS	3950 Chesapeake St NW	1794	1700	0	1700	106%	DCPS will continue to monitor enrollment and boundary changes are expected to right size the enrollment with the building capacity. It should be noted that the full impact of the boundary changes will not be felt until the boundary changes have been in place for a few years. DCPS feels that the reported capacity may be low because of how Wilson uses their classrooms. DCPS typically assumes that classrooms are used 80% of the time at the High School level, but because Wilson utilizes a "floating teacher" methodology, it is believed their classrooms are utilized closer to 85% of the time.
464	Woodson, H.D. HS	540 55th St. NE	639	1000	0	1000	64%	

\*Includes updated capacities for buildings that are slated to open in Winter 2015